
80 0750670

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
6700	3,5	285	2,180	1

80 0750750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	3,5	285	2,180	1


Profilo battuta H=285 / Internal profile H=285


80 0758750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	3,5	30	1,100	1

Profilo battuta

Internal profile H=142



80 0751670

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
6700	40	285	2,430	1

80 0751750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	40	285	2,430	1


Profilo battuta a L / Internal L profile H=285


80 0759750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	50	174	1,724	1

Profilo battuta a L


Internal L profile H=174


80 0754750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	40	60	0,645	1

Profilo per esterno


External profile 60x40


80 0755750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	60	80	0,907	1

Profilo per esterno


External profile 80x60


80 0752750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	60	60	0,660	1

Profilo angolare


External profile 60x60


80 0753750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi / Pack
7500	60	80	1,060	1

Profilo angolare gobbo per furgoni


External profile 80x60



66 0814017

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
60	60	60	0,100	1


Calotta angolare gobba Geomet
Geomet box corner



80 0863760

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7600	100	60	0,290	1

Profilo reggimensola
Corner bracket profile




80 0866750

80 0866700V* (Verniciato bianco)

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7500	60	100	1,150	1

Profilo angolare
Corner profile


*A richiesta / On demand



80 0865760

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7600	3,5	285	1,950	1


Profilo longerina
Frame - floor profile



80 0760760

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7600	66,5	66,5	1,980	1


Profilo cantonale alluminio
Aluminium corner profile



80 0761750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7500	86	86	1,315	1


Profilo alluminio anodizzato angolare
Aluminium corner profile



80 0757750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7500	3,5	30	0,750	1


Profilo cantonale isotermico da 102
Corner profile, 102




80 0756750

L (mm)	W (mm)	H (mm)	Kg/m	Pezzi Pack
7500	40	285	0,920	1


Profilo cantonale isotermico da 133
Corner profile, 133






Codice / Code	Descrizione / Description	L (mm)	Kg / m
80 0771750	Binario alluminio anodizzato	7500	2,134

A richiesta curva per raccordo binari alluminio anodizzato (0,750 Kg/m)




80 0771751

Curva per guidovia in alluminio 52x40 / Aluminium curve profile for rail 52x40



80 0771752

Coppia supporti inox fissaggio guidovia c/catena
Stainless steel support brackets for fixing meat rail with chain



80 0771753

Gancio carne snodato inox L. 204 Diametro 12
Stainless steel flat type, straight hook Ø 12, L. 204